

	L #	Hits	Search Text	DBs
1	L1	1288 925	@pd>"20060107"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	L2	1936	((523/160) or (523/161)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	L3	167	1 and 2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	L4	1916	((523/200) or (523/205)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
5	L5	3388	((524/556) or (524/577) or (524/612)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	L6	69	1 and 4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
7	L7	148	1 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	L8	2894 7	colored near5 (polymer or resin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
9	L9	1001	pigment adj blue adj5 "15"?4 or fastogen adj blue or lionel adj blue	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	L10	1172 77	(polyethyleneglycol or polyethylene adj glycol or polyoxyethylene or polyethyleneoxy) adj5 (methacrylate or acrylate or monomethacrylate or monoacrylate) or m adj2 (20g or 40fg or 90g or 230g or g!) or blemmer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	L11	1119 87	(polypropyleneglycol or polypropylene adj glycol or polyoxypropylene or polypropyleneoxy) adj5 (methacrylate or acrylate or monomethacrylate or monoacrylate) or m adj2 (20g or 40fg or 90g or 230g or g!) or blemmer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
12	L12	2005 5	(polymer or resin) near5 (contain\$3 or encapsulat\$5 or microencapsulat\$5 or coat\$3 or cover\$3 or enclos\$4 or entrapp\$4) near5 pigment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	L13	4208	(alkyleneoxy or alkylene adj oxide or ethylene adj oxide or oxyethylene or ethyleneoxy) near5 monomer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	L14	869	(styren\$3 or silicone) near5 macromer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	L15	0	(3 6 7) and (8 12) and 9 and (10 11 13) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	L16	5	(3 6 7) and (8 12) and (10 11 13) and 14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
17	L17	1777	(styren\$3 or silicone or si!) near5 (macromer or macromonomer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
18	L18	0	(3 6 7) and (8 12) and 9 and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	L19	5	(3 6 7) and (8 12) and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	L20	0	1 and (8 12) and 9 and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	L21	8	1 and (8 12) and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	L22	1	1 and 9 and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	L23	0	1 and (8 12) and 9 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	L #	Hits	Search Text	DBs
24	L24	18	(8 12) and 9 and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
25	L25	65	(8 12) and (10 11 13) and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	L26	47	25 not 24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	L27	1140 78	(polypropyleneglycol or polypropylene adj glycol or polyoxypropylene or polypropyleneoxy or \$7polypropyleneglycol or propyleneglycol or ppg! or propylene adj glycol) adj5 (methacrylate or acrylate or monomethacrylate or monoacrylate) or m adj2 (20g or 40fg or 90g or 230g or g!) or blemmer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	L28	0	1 and (8 12) and 9 and 27 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	<b>L #</b>	<b>Hits</b>	<b>Search Text</b>	<b>DBs</b>
<b>29</b>	L29	14	(8 12) and 9 and 27 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>30</b>	L30	39	(8 12) and 27 and 17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
<b>31</b>	L31	25	30 not 29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB